LCD Commercial Widescreen Integrated HDTV



PUBLIC DISPLAY SETTINGS - CLONING CAPABLE

EcoSmart™ **Energy Saving Levels** Rohs Compliant

DYNAMIC CONTRAST RATIO 50,000:1 - 42"/37"/32" 3,000:1-22"

NATIVE DISPLAY RESOLUTION 1366 x 768

BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

INVISIBLE SPEAKER SYSTEM Hidden speaker grilles

LG'S EXCLUSIVE XD ENGINE®

USB 2.0 MEDIA HOST FOR PHOTOS AND MUSIC 42"/37"/32"

> USB CLONING 42"/37"/32"

> CLEAR VOICE II

REAL CINEMATM

2 HDMITM INPUTS WITH HDCP V.1.3 with deep color - 42"/37"/32"

AUTO SENSING REMOTE JACK PACK (RJP) COMPATIBLE* 42"/37"/32"

> 2 YEAR LIMITED WARRANTY (parts and labor)

Contact your LG Sales representative on the RJPs that are compatible with the LH200C series.





WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LH200C televisions have technologies to reduce power consumption and in return increase **cost savings** per room. We've also placed limits in the amounts of harmful materials used in these televisions.

EcoSmart

Energy Saving Levels - Manually select your choice for the brightness level for the television.

RoHS Compliant

Meets directive on restriction of hazardous substances.

FEATURES



LG's newest core technology, Picture Wizard, enables easy selfcalibration by providing on-screen reference points for key picture quality elements such as black level, color, tint, sharpness and backlight levels. By using this easy-to-use calibration process, the picture setting can be set to better fit the type of room application.





Dramatizations

C L E A R

BALANCED SOUND TO EMPHASIZE DIALOGUE

Clear Voice technology automatically enhances dialogue when background sounds such as those in an action sequence swell. Enhancements made to the Clear Voice technology now allow users to customize their personal preferences based on their home environment through a 12-step adjustment process. This calibration process is based on distinct voice zoom levels and does not interfere with surrounding sounds, ensuring consumers don't miss a single line of dialogue.





ENERGY SAVING LEVELS

Manually select your choice for the brightness level for the television. By selecting Minimum, Medium, or Maximum, the power consumption will be reduced and an increase in energy savings can be achieved. (Note: Selecting minimum level may slightly increase power consumption on some models)



TESTING CONDITION IN STANDARD MODE

Applied Model	Energy Saving Level	Brightness [cd]	Power Consumption [Watts]	Energy savings [%]
OFF		201	128	0.0
	Minimum	198	131	-2.3
42LH200C	Medium	131	98.4	23.1
	Maximum	65	60.3	52.9
	Screen off	0	16.9	86.8
	OFF	192	112	0.0
37LH200C	Minimum	198	114	-1.8
	Medium	133	86.2	23.0
	Maximum	62	54.1	51.7
	Screen off	0	16.8	85.0
	OFF	151	88.6	0.0
32LH200C	Minimum	142	87.7	1.0
	Medium	93	66.1	25.4
	Maximum	33	41.2	53.5
	Screen off	0	20	77.4
	OFF	162.7	36.15	0.0
22LH200C	Minimum	144.8	33.9	6.2
	Medium	65.2	23.6	34.7
	Maximum	22.1	16.6	54.1
	Screen off	0	11.1	69.3

Note: Power consumption was measured with video signal - IEC62087 dynamic broadcast. Energy Saving percentages listed are based on Energy Saving default value in the Off mode.

USB 2.0 US MEDIA HOST

42" / 37" / 32"

USB 2.0 will support JPG and MP3 files from a USB storage device.



Drive1	E	Up Folder			KY103	03/30/2008
MJ001		KY101	06/10/2008		KY104	06/19/2008
		KY102	04/03/2008		KY105	01/31/2008
	100	JMJ001	01/01/2000	п	JMJ005	05/13/2008
1366×768. 125KB	=	JMJ002	06/15/2008	п	JMJ006	05/26/2008
1300 700, 12310	-	JMJ003	04/03/2008	п	JMJ007	02/18/2008
Up Folder		JMJ004	02/18/2008		JMJ008	02/18/2008



PUBLIC DISPLAY SETTINGS

When used in public areas, these HDTVs can be easily programmed by the installer to have the TV turn on at a specified channel/volume level, set the minimum/ maximum volume, lock out the control panel/remote, set the aspect ratio, and return to a factory reset. By using Power Management, these displays can be programmed to turn off if there has been no activity (remote or control panel buttons) for a preset time (1-7) hours.

Public Display Mode	No
Start Channel	No
Ch. Type	TV
Major	
Minor	
Minimum Volume	
Maximum Volume	100
Start Volume	No
Level	20
Power Management	No
Setting	
Key Management	
Factory Reset	
Aspect Ratio	

USB CLONING

42" / 37" / 32"

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited

number of same type televisions.

SOUND IS HEARD, NOT SEEN


Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.




MOUNTING HOLES ON STAND ATTACHING THE TV TO A DESK





















22LH200C





42" CLASS (42.0" DIAGONAL)

37" CLASS (37.0" DIAGONAL)

32" CLASS (31.5" DIAGONAL)

22" CLASS (21.6" DIAGONAL)

LCD SPECIFICATION Screen Size (Class)	42" class (42.0" diagonal)				
0.00.00.00.20 (0.000)	37" class (37.0" diagonal)				
	3 Z CIGSS (31.5" diagonal)				
	22" class (21.6" diagonal)				
Native Display Resolution	1366 x 768				
Brightness	500 cd/m² (42", 37", 32"), 350 cd/m² (22") 50,000:1 (42", 37", 32"), 3,000:1 (22")				
Dynamic Contrast Ratio	50,000:1 (42", 37", 32"), 3,000:1 (22")				
Contrast Ratio	1,200:1 (42", 37", 32"), 1000:1 (22")				
Viewing Angle	178°/178°				
Color Reproduction	8 Bit				
Response Time	6ms				
True Viewing Angle	Yes				
Life Span (Typical)	60,000 hrs				
BROADCASTING SYSTEM	,				
Analog	Yes				
ATSC/NTSC/Clear QAM	Yes				
VIDEO					
XD Engine	Yes				
Aspect Ratio	16:9				
Aspect Ratio Correction	6 Modes				
Just Scan (1:1 Pixel Matching)	O MIGGGS				
HDMI	1080p/1080i/720p				
Component	1080p/1080i/720p				
RF/DTV	720p				
Enhanced Noise Reduction (Video Noise Filter					
Digital Comb Filter	Yes (3D)				
Color Temperature Control	3 Modes (Norm, Warm, Cool)				
Black Stretcher	Yes				
24p Real Cinema	Yes				
Cinema 3:2/2:2 Mode	Yes				
Picture Reset	Yes				
AV Mode II (Picture & Sound)	3 Modes (Cinema, Sport, Game)				
EZ Picture/PSM	Yes (8 modes)				
ISFccc Ready	Yes				
DTV Signal Strength Indicator	Yes				
Video Reset/Initializing	Yes				
AUDIO	100				
Mono/Stereo/Dual (MTS/SAP)	Yes				
Audio Output Power (Watts - THD 10%)	10W x 2 (42", 37", 32"), 3W x 2 (22")				
Invisible Speaker System Details	1 Way 2 Speaker				
Dolby Digital 5.1 Decoder	Yes				
Surround System Type	SRS TruSurround XT, SRS WOW				
Bass/Treble/Balance Controls	Yes				
Clear Voice II	Yes				
Auto Volume Leveler	Yes				
EZ Sound Mode/SSM	5 Modes				
SPECIAL FEATURES	3 Modes				
	V VO 5 (100 070 000) VO 4 (000)				
Public Display Settings	Yes , V2.5 (42", 37", 32"), V2.4 (22")				
Energy Savings	Yes (Minimum, Medium, Maximum)				
Brightness Optimization	Yes (Available in Standard, Natural, Sport, Game				
A . C : DID ::11	modes)				
Auto-Sensing RJP compatible	Yes (with select RJP versions)				
Picture Wizard	Yes				
Backlight Control	Yes				
USB Cloning	Yes (42", 37", 32")				
Mechanical Power Off	Yes				
1080p Source Input	10 100 101				
HĎMI	60p/30p/24p				
Component	60p/30p/24p WXGA				
A (/ Input Novigetion					
A/V Input Navigation	Yes				
Input Labeling/Sub-title	Yes				
Quick View (Previous Channel)	Yes				
Quick Setup Guide	Yes				
e-Manual	Yes				
Parental Control w/V-Chip	Yes				
Key Lock/Child Lock	Yes				
Customizable Closed Caption/Sub-title	Yes Yes				
LG SIMPLINK (HDMI CEC)					

CONVENIENCE FEATURES Language	English/Spanish/French/Korean
Alvin UI	Yes
Auto Tuning/Programming	Yes
Channel Add/Delete	Yes
Favorite Channel Programming	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is presen	
AUDIO/VIDEO INPUTS/OUTPUTS	7 - 12
RF In (Antenna/Cable)	1
L/R Audio/Composite Video In	1 (rear), 1 (side except 22")
HD Component Video In (Y, Pb, Pr) + L/R Audio	01
Variable Audio (External Speaker) Out	1 (L/R 2W each) (42", 37", 32")
Digital Audio Out (Optical)	
HDMI/HDCP Input (V1.3 with Deep Color)	1 (42", 37", 32") 2 (42", 37", 32"), 1 (22")
RGB In (D-Sub 15pin) - PC	1(1360 x 768)
PC Audio Input	1
RS-232c In (Control/Service)	1
USB 2.0 Input	1 (Side) Media Host (jpeg, mp3), Cloning,
	Service (42",37",32"), 1 (rear) Service Only (22"
Remote Control Port In	1 (42", 37", 32")
RJ45 (for RJP interface)	1 (42", 37", 32")
CABINET/ACCESSORIES	1 7 2 7 2 7
Cabinet Color	Glossy Black
Swivel Stand (degrees)	+20°/-20° (42", 37", 32")
Power Indicator	Yes (on/off)
Fire Retardant Cabinet Material	Yes
Kensington Security System Slot	Yes
VESA® Mount Compliant (WxH)	200mm x 200mm, M6 screw (42", 37")
VESA MOSIII COMPIIGIII (VVXII)	200mm x 100mm, M4 screw (32")
	100mm x 100mm, M4 screw (22")
Remote Control	Yes
POWER	100
Voltage, Hz	100V - 240V, 50/60 Hz
Stand-by Mode	Less than 1 W
Power Consumption	200W (42"), 160W (37"), 150W (32"),
. ever concomplian	50W (22")
RoHS Compliant	Yes
DIMENSIONS & WEIGHT	
TV without stand (WxHxD)	21.0" x 13.8" x 2.5"(22")
T T TIME OF GIANTA (TTALIAS)	31.7" x 20.8" x 3.1" (32")
	40.5" x 25.8" x 3.4" (42")
TV with stand (WxHxD)	21.0" x 15.6" x 6.7"(22")
. ,	31.7" x 23.0" x 8.8" (32")
	36.3" x 26.0" x 11.7"(37")
	40.5." x 28.1" x 11.7" (42")
Shipping Dimensions (WxHxD)	36.3" x 23.4" x 3.5"(37") 40.5" x 25.8" x 3.4" [42") 21.0" x 15.6" x 6.7"(22") 31.7" x 23.0" x 8.8" [32") 36.3" x 26.0" x 11.7"(37") 40.5." x 28.1" x 11.7" [42"] 23.6" x 17.0" x 5.5" [22"] 38.7" x 24.6" x 7.4" [32"] 47.0" x 26.2" x 9.0" [37"] 52.4" x 30.3" x 9.0" [42"] 10.2 lbs [22"]
11 0	38.7" x 24.6" x 7.4" (32")
	47.0" x 26.2" x 9.0" (37")
	52.4" x 30.3" x 9.0" (42")
TV without stand weight	
	22.9 lbs (32")
	27.3 lbs (37")
	34.4 lbs (42")
TV with stand weight	10.6 lbs (22")
	25.4 lbs (32")
	32.6 lbs (37")
Cl. · NA/ · Li	39.7 lbs (42")
Shipping Weight	13.9 lbs (22")
	29.1 lbs (32")
	40.2 lbs (37")
CEDVICE/LIANTED WAND ANTY	46.7 lbs (42")
SERVICE/LIMITED WARRANTY	2 Years (Parts/Labor)
UPC CODE	7 10100 17501 /
42LH200C	7 19192 17591 4
	7 19192 17591 4 7 19192 17590 7 7 19192 17589 1

www.LGsolutions.com

LG Electronics U.S.A., Inc. Business Solutions Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Hospitality: 800.228.1236 Vertical Markets: 800.897.8788 Channel: 800.897.8871

E-mail: info@LGsolutions.com







Design, features and specifications subject to change without notice.





7 19192 17589 1 7 19192 17593 8







32LH200C

22LH200C







All screen images are simulated. Dimensions and weights are approximate.













© Copyright 2010 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a © Copyright 2010 to Electronics USA, inc. All kights keserveat. Use the s Good is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmart are trademarks of LG Corp. Dolby and the doubleD symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol, TruSurround XT and WOW are trademarks or registered trademarks of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.









